



# Casing Dimensional Data

[www.SILVER-FOX.net](http://www.SILVER-FOX.net)

## Conversion factors

1 lb/ft = 1.488164 Kg/m

1 inch = 25.4mm

1 kg/m = 0.671969 lb/ft

1 mm = 0.0393701 inch

Casing OD		Weight				Casing Nom ID		Wall Thickness		Drift ID	
in	mm	T & C		Plain End		in	mm	in	mm	in	mm
		lb/ft	kg/m	lb/ft	kg/m						
<b>4</b> <b>101.6</b>	9.26	<b>13.78</b>		9.07	<b>13.50</b>	3.550	<b>90.17</b>	0.225	<b>5.72</b>	3.425	<b>87.00</b>
	9.50	<b>14.14</b>		9.11	<b>13.56</b>	3.548	<b>90.12</b>	0.226	<b>5.74</b>	3.423	<b>86.94</b>
	10.90	<b>16.22</b>		10.46	<b>15.57</b>	3.476	<b>88.29</b>	0.262	<b>6.65</b>	3.351	<b>85.12</b>
	11.00	<b>16.37</b>		10.39	<b>15.46</b>	3.480	<b>88.39</b>	0.260	<b>6.60</b>	3.355	<b>85.22</b>
	11.60	<b>17.26</b>		11.34	<b>16.88</b>	3.428	<b>87.07</b>	0.286	<b>7.26</b>	3.303	<b>83.90</b>
	12.60	<b>18.75</b>		12.51	<b>18.62</b>	3.364	<b>85.45</b>	0.318	<b>8.08</b>	3.239	<b>82.27</b>
	13.00	<b>19.35</b>		12.93	<b>19.24</b>	3.340	<b>84.84</b>	0.330	<b>8.38</b>	3.215	<b>81.66</b>
	14.80	<b>22.02</b>		14.69	<b>21.86</b>	3.240	<b>82.30</b>	0.380	<b>9.65</b>	3.115	<b>79.12</b>
	16.50	<b>24.55</b>		16.40	<b>24.41</b>	3.140	<b>79.76</b>	0.430	<b>10.92</b>	3.015	<b>76.58</b>
<b>4 1/2</b> <b>114.3</b>	6.75	<b>10.05</b>		6.61	<b>9.84</b>	4.216	<b>107.09</b>	0.142	<b>3.61</b>	4.091	<b>103.91</b>
	8.77	<b>13.05</b>		8.66	<b>12.89</b>	4.124	<b>104.75</b>	0.188	<b>4.78</b>	3.999	<b>101.57</b>
	9.50	<b>14.14</b>		9.40	<b>13.99</b>	4.090	<b>103.89</b>	0.205	<b>5.21</b>	3.965	<b>100.71</b>
	10.50	<b>15.63</b>		10.25	<b>15.25</b>	4.051	<b>102.90</b>	0.225	<b>5.72</b>	3.926	<b>99.72</b>
	11.60	<b>17.26</b>		11.35	<b>16.89</b>	4.000	<b>101.60</b>	0.250	<b>6.35</b>	3.875	<b>98.43</b>
	11.77	<b>17.52</b>		11.77	<b>17.52</b>	3.980	<b>101.09</b>	0.260	<b>6.60</b>	3.855	<b>97.92</b>
	12.60	<b>18.75</b>		12.24	<b>18.22</b>	3.958	<b>100.53</b>	0.271	<b>6.88</b>	3.833	<b>97.36</b>
	13.50	<b>20.09</b>		13.04	<b>19.41</b>	3.920	<b>99.57</b>	0.290	<b>7.37</b>	3.795	<b>96.39</b>
	15.10	<b>22.47</b>		14.98	<b>22.29</b>	3.826	<b>97.18</b>	0.337	<b>8.56</b>	3.701	<b>94.01</b>
	16.60	<b>24.70</b>		16.44	<b>24.47</b>	3.754	<b>95.35</b>	0.373	<b>9.47</b>	3.629	<b>92.18</b>
	17.00	<b>25.30</b>		16.72	<b>24.88</b>	3.740	<b>95.00</b>	0.380	<b>9.65</b>	3.615	<b>91.82</b>
	18.90	<b>28.13</b>		18.69	<b>27.81</b>	3.640	<b>92.46</b>	0.430	<b>10.92</b>	3.515	<b>89.28</b>
	19.10	<b>28.42</b>		18.96	<b>28.22</b>	3.626	<b>92.10</b>	0.437	<b>11.10</b>	3.501	<b>88.93</b>
	21.50	<b>32.00</b>		21.36	<b>31.79</b>	3.500	<b>88.90</b>	0.500	<b>12.70</b>	3.375	<b>85.73</b>
23.70	<b>35.27</b>		23.56	<b>35.06</b>	3.380	<b>85.85</b>	0.560	<b>14.22</b>	3.255	<b>82.68</b>	
26.10	<b>38.84</b>		26.04	<b>38.75</b>	3.240	<b>82.30</b>	0.630	<b>16.00</b>	3.115	<b>79.12</b>	
<b>4 3/4</b> <b>120.7</b>	16.00	<b>23.81</b>		15.75	<b>23.44</b>	4.082	<b>103.68</b>	0.334	<b>8.48</b>	3.957	<b>100.51</b>
	16.50	<b>24.55</b>		16.01	<b>23.83</b>	4.070	<b>103.38</b>	0.340	<b>8.64</b>	3.945	<b>100.20</b>
	18.00	<b>26.79</b>		17.52	<b>26.07</b>	4.000	<b>101.60</b>	0.375	<b>9.53</b>	3.875	<b>98.43</b>
	20.00	<b>29.76</b>		19.42	<b>28.90</b>	3.910	<b>99.31</b>	0.420	<b>10.67</b>	3.785	<b>96.14</b>
	21.00	<b>31.25</b>		20.67	<b>30.76</b>	3.850	<b>97.79</b>	0.450	<b>11.43</b>	3.725	<b>94.62</b>

Casing OD		Weight				Casing Nom ID		Wall Thickness		Drift ID	
in	mm	T & C		Plain End		in	mm	in	mm	in	mm
		lb/ft	kg/m	lb/ft	kg/m						
5 127	8.00	<b>11.91</b>	7.87	<b>11.71</b>	4.696	<b>119.28</b>	0.152	<b>3.86</b>	4.571	<b>116.10</b>	
	11.50	<b>17.11</b>	11.23	<b>16.71</b>	4.560	<b>115.82</b>	0.220	<b>5.59</b>	4.435	<b>112.65</b>	
	12.85	<b>19.12</b>	12.68	<b>18.87</b>	4.500	<b>114.30</b>	0.250	<b>6.35</b>	4.375	<b>111.13</b>	
	13.00	<b>19.35</b>	12.83	<b>19.09</b>	4.494	<b>114.15</b>	0.253	<b>6.43</b>	4.396	<b>111.66</b>	
	14.00	<b>20.83</b>	13.88	<b>20.66</b>	4.450	<b>113.03</b>	0.275	<b>6.99</b>	4.325	<b>109.86</b>	
	15.00	<b>22.32</b>	14.87	<b>22.13</b>	4.408	<b>111.96</b>	0.296	<b>7.52</b>	4.283	<b>108.79</b>	
	17.70	<b>26.34</b>	17.38	<b>25.86</b>	4.300	<b>109.22</b>	0.350	<b>8.89</b>	4.175	<b>106.05</b>	
	18.00	<b>26.79</b>	17.93	<b>26.68</b>	4.276	<b>108.61</b>	0.362	<b>9.19</b>	4.151	<b>105.44</b>	
	20.30	<b>30.21</b>	20.01	<b>29.78</b>	4.184	<b>106.27</b>	0.408	<b>10.36</b>	4.059	<b>103.10</b>	
	20.80	<b>30.95</b>	20.63	<b>30.70</b>	4.156	<b>105.56</b>	0.422	<b>10.72</b>	4.031	<b>102.39</b>	
	21.00	<b>31.25</b>	20.68	<b>30.78</b>	4.154	<b>105.51</b>	0.423	<b>10.74</b>	4.029	<b>102.34</b>	
	21.40	<b>31.85</b>	21.30	<b>31.70</b>	4.126	<b>104.80</b>	0.437	<b>11.10</b>	4.001	<b>101.63</b>	
	23.20	<b>34.53</b>	23.09	<b>34.36</b>	4.044	<b>102.72</b>	0.478	<b>12.14</b>	3.919	<b>99.54</b>	
	24.10	<b>35.86</b>	24.03	<b>35.76</b>	4.000	<b>101.60</b>	0.500	<b>12.70</b>	3.875	<b>98.43</b>	
	26.70	<b>39.73</b>	26.64	<b>39.64</b>	3.876	<b>98.45</b>	0.562	<b>14.27</b>	3.751	<b>95.28</b>	
	29.20	<b>43.45</b>	29.20	<b>43.45</b>	3.750	<b>95.25</b>	0.625	<b>15.88</b>	3.625	<b>92.08</b>	
	31.60	<b>47.03</b>	31.65	<b>47.10</b>	3.626	<b>92.10</b>	0.687	<b>17.45</b>	3.501	<b>88.93</b>	
34.00	<b>50.60</b>	34.04	<b>50.66</b>	3.500	<b>88.90</b>	0.750	<b>19.05</b>	3.375	<b>85.73</b>		
5 1/4 133.4	8.50	<b>12.65</b>	8.33	<b>12.40</b>	4.944	<b>125.58</b>	0.153	<b>3.89</b>	4.819	<b>122.40</b>	
	10.00	<b>14.88</b>	9.85	<b>14.66</b>	4.886	<b>124.10</b>	0.182	<b>4.62</b>	4.761	<b>120.93</b>	
	13.00	<b>19.35</b>	12.89	<b>19.18</b>	4.768	<b>121.11</b>	0.241	<b>6.12</b>	4.643	<b>117.93</b>	
	16.00	<b>23.81</b>	15.86	<b>23.60</b>	4.650	<b>118.11</b>	0.300	<b>7.62</b>	4.525	<b>114.94</b>	
5 1/2 139.7	9.00	<b>13.39</b>	8.79	<b>13.08</b>	5.192	<b>131.88</b>	0.154	<b>3.91</b>	5.067	<b>128.70</b>	
	13.00	<b>19.35</b>	12.84	<b>19.11</b>	5.044	<b>128.12</b>	0.228	<b>5.79</b>	4.919	<b>124.94</b>	
	14.00	<b>20.83</b>	13.70	<b>20.39</b>	5.012	<b>127.30</b>	0.244	<b>6.20</b>	4.887	<b>124.13</b>	
	15.00	<b>22.32</b>	14.71	<b>21.89</b>	4.974	<b>126.34</b>	0.263	<b>6.68</b>	4.849	<b>123.16</b>	
	15.50	<b>23.07</b>	15.35	<b>22.84</b>	4.950	<b>125.73</b>	0.275	<b>6.99</b>	4.825	<b>122.56</b>	
	17.00	<b>25.30</b>	16.87	<b>25.11</b>	4.892	<b>124.26</b>	0.304	<b>7.72</b>	4.767	<b>121.08</b>	
	20.00	<b>29.76</b>	19.81	<b>29.48</b>	4.778	<b>121.36</b>	0.361	<b>9.17</b>	4.653	<b>118.19</b>	
	23.00	<b>34.23</b>	22.54	<b>33.54</b>	4.670	<b>118.62</b>	0.415	<b>10.54</b>	4.545	<b>115.44</b>	
	23.80	<b>35.42</b>	23.63	<b>35.17</b>	4.626	<b>117.50</b>	0.437	<b>11.10</b>	4.501	<b>114.33</b>	
	25.00	<b>37.20</b>	24.76	<b>36.85</b>	4.580	<b>116.33</b>	0.460	<b>11.68</b>	4.455	<b>113.16</b>	
	26.00	<b>38.69</b>	25.54	<b>38.01</b>	4.548	<b>115.52</b>	0.476	<b>12.09</b>	4.423	<b>112.34</b>	
	26.80	<b>39.88</b>	26.70	<b>39.73</b>	4.500	<b>114.30</b>	0.500	<b>12.70</b>	4.375	<b>111.13</b>	
	28.40	<b>42.26</b>	28.13	<b>41.86</b>	4.440	<b>112.78</b>	0.530	<b>13.46</b>	4.315	<b>109.60</b>	
	29.70	<b>44.20</b>	29.64	<b>44.11</b>	4.376	<b>111.15</b>	0.562	<b>14.27</b>	4.251	<b>107.98</b>	
	32.30	<b>48.07</b>	31.95	<b>47.55</b>	4.276	<b>108.61</b>	0.612	<b>15.54</b>	4.151	<b>105.44</b>	
	32.60	<b>48.51</b>	32.54	<b>48.42</b>	4.250	<b>107.95</b>	0.625	<b>15.88</b>	4.125	<b>104.78</b>	
	35.30	<b>52.53</b>	35.31	<b>52.55</b>	4.126	<b>104.80</b>	0.687	<b>17.45</b>	4.001	<b>101.63</b>	
36.40	<b>54.17</b>	36.10	<b>53.72</b>	4.090	<b>103.89</b>	0.705	<b>17.91</b>	3.965	<b>100.71</b>		
38.00	<b>56.55</b>	38.05	<b>56.62</b>	4.000	<b>101.60</b>	0.750	<b>19.05</b>	3.875	<b>98.43</b>		
40.50	<b>60.27</b>	40.66	<b>60.51</b>	3.876	<b>98.45</b>	0.812	<b>20.62</b>	3.751	<b>95.28</b>		
43.10	<b>64.14</b>	43.22	<b>64.32</b>	3.750	<b>95.25</b>	0.875	<b>22.23</b>	3.625	<b>92.08</b>		

Casing OD		Weight				Casing Nom ID		Wall Thickness		Drift ID	
in	mm	T & C		Plain End		in	mm	in	mm	in	mm
		lb/ft	kg/m	lb/ft	kg/m						
5 9/16 <b>141.3</b>	15.00	<b>22.32</b>	14.60	<b>21.73</b>	5.047	<b>128.19</b>	0.258	<b>6.55</b>	4.922	<b>125.02</b>	
	21.00	<b>31.25</b>	20.76	<b>30.89</b>	4.813	<b>122.25</b>	0.375	<b>9.53</b>	4.688	<b>119.08</b>	
5 3/4 <b>146.1</b>	14.00	<b>20.83</b>	13.56	<b>20.18</b>	5.290	<b>134.37</b>	0.230	<b>5.84</b>	5.165	<b>131.19</b>	
	17.00	<b>25.30</b>	16.36	<b>24.35</b>	5.190	<b>131.83</b>	0.280	<b>7.11</b>	5.065	<b>128.65</b>	
	19.50	<b>29.02</b>	19.10	<b>28.42</b>	5.090	<b>129.29</b>	0.330	<b>8.38</b>	4.965	<b>126.11</b>	
	22.50	<b>33.48</b>	21.79	<b>32.43</b>	4.990	<b>126.75</b>	0.380	<b>9.65</b>	4.865	<b>123.57</b>	
	23.00	<b>34.23</b>	21.63	<b>32.19</b>	4.996	<b>126.90</b>	0.377	<b>9.58</b>	4.871	<b>123.72</b>	
	25.20	<b>37.50</b>	24.43	<b>36.36</b>	4.890	<b>124.21</b>	0.430	<b>10.92</b>	4.765	<b>121.03</b>	
6 <b>152.4</b>	10.50	<b>15.63</b>	10.22	<b>15.21</b>	5.672	<b>144.07</b>	0.164	<b>4.17</b>	5.547	<b>140.89</b>	
	12.00	<b>17.86</b>	11.79	<b>17.55</b>	5.620	<b>142.75</b>	0.190	<b>4.83</b>	5.495	<b>139.57</b>	
	14.00	<b>20.83</b>	13.82	<b>20.57</b>	5.552	<b>141.02</b>	0.224	<b>5.69</b>	5.427	<b>137.85</b>	
	15.00	<b>22.32</b>	14.65	<b>21.80</b>	5.524	<b>140.31</b>	0.238	<b>6.05</b>	5.399	<b>137.13</b>	
	16.00	<b>23.81</b>	15.35	<b>22.84</b>	5.500	<b>139.70</b>	0.250	<b>6.35</b>	5.375	<b>136.53</b>	
	17.00	<b>25.30</b>	16.81	<b>25.02</b>	5.450	<b>138.43</b>	0.275	<b>6.99</b>	5.325	<b>135.26</b>	
	18.00	<b>26.79</b>	17.57	<b>26.15</b>	5.424	<b>137.77</b>	0.288	<b>7.32</b>	5.299	<b>134.59</b>	
	20.00	<b>29.76</b>	19.64	<b>29.23</b>	5.352	<b>135.94</b>	0.324	<b>8.23</b>	5.227	<b>132.77</b>	
	23.00	<b>34.23</b>	22.81	<b>33.95</b>	5.240	<b>133.10</b>	0.380	<b>9.65</b>	5.115	<b>129.92</b>	
	24.10	<b>35.86</b>	-	-	5.200	<b>132.08</b>	0.400	<b>10.16</b>	5.075	<b>128.91</b>	
26.00	<b>38.69</b>	25.80	<b>38.39</b>	5.132	<b>130.35</b>	0.434	<b>11.02</b>	5.007	<b>127.18</b>		
6 5/8 <b>168.3</b>	12.00	<b>17.86</b>	11.65	<b>17.34</b>	6.287	<b>159.69</b>	0.169	<b>4.29</b>	6.162	<b>156.51</b>	
	13.00	<b>19.35</b>	12.72	<b>18.93</b>	6.255	<b>158.88</b>	0.185	<b>4.70</b>	6.130	<b>155.70</b>	
	17.00	<b>25.30</b>	16.69	<b>24.84</b>	6.135	<b>155.83</b>	0.245	<b>6.22</b>	6.010	<b>152.65</b>	
	19.45	<b>28.94</b>	18.97	<b>28.23</b>	6.065	<b>154.05</b>	0.280	<b>7.11</b>	5.940	<b>150.88</b>	
	20.00	<b>29.76</b>	19.49	<b>29.00</b>	6.049	<b>153.64</b>	0.288	<b>7.32</b>	5.924	<b>150.47</b>	
	22.00	<b>32.74</b>	21.42	<b>31.88</b>	5.989	<b>152.12</b>	0.318	<b>8.08</b>	5.864	<b>148.95</b>	
	23.20	<b>34.53</b>	22.19	<b>33.02</b>	5.965	<b>151.51</b>	0.330	<b>8.38</b>	5.845	<b>148.46</b>	
	24.00	<b>35.72</b>	23.58	<b>35.09</b>	5.921	<b>150.39</b>	0.352	<b>8.94</b>	5.796	<b>147.22</b>	
	25.00	<b>37.20</b>	24.87	<b>37.01</b>	5.880	<b>149.35</b>	0.373	<b>9.47</b>	5.755	<b>146.18</b>	
	26.00	<b>38.69</b>	25.66	<b>38.19</b>	5.855	<b>148.72</b>	0.385	<b>9.78</b>	5.730	<b>145.54</b>	
	26.60	<b>39.59</b>	26.22	<b>39.02</b>	5.837	<b>148.26</b>	0.394	<b>10.01</b>	5.712	<b>145.08</b>	
	28.00	<b>41.67</b>	27.65	<b>41.15</b>	5.791	<b>147.09</b>	0.417	<b>10.59</b>	5.666	<b>143.92</b>	
	29.00	<b>43.16</b>	28.57	<b>42.52</b>	5.761	<b>146.33</b>	0.432	<b>10.97</b>	5.636	<b>143.15</b>	
	32.00	<b>47.62</b>	31.20	<b>46.43</b>	5.675	<b>144.15</b>	0.475	<b>12.07</b>	5.550	<b>140.97</b>	
	33.00	<b>49.11</b>	32.71	<b>48.68</b>	5.625	<b>142.88</b>	0.500	<b>12.70</b>	5.500	<b>139.70</b>	
	34.00	<b>50.60</b>	33.61	<b>50.02</b>	5.595	<b>142.11</b>	0.515	<b>13.08</b>	5.470	<b>138.94</b>	
	34.50	<b>51.34</b>	34.20	<b>50.90</b>	5.575	<b>141.61</b>	0.525	<b>13.34</b>	5.450	<b>138.43</b>	
	36.70	<b>54.62</b>	36.39	<b>54.15</b>	5.501	<b>139.73</b>	0.562	<b>14.27</b>	5.376	<b>136.55</b>	
	40.20	<b>59.82</b>	40.05	<b>59.60</b>	5.375	<b>136.53</b>	0.625	<b>15.88</b>	5.250	<b>133.35</b>	
	43.70	<b>65.03</b>	43.57	<b>64.84</b>	5.251	<b>133.38</b>	0.687	<b>17.45</b>	5.126	<b>130.20</b>	
	47.10	<b>70.09</b>	47.06	<b>70.03</b>	5.125	<b>130.18</b>	0.750	<b>19.05</b>	5.000	<b>127.00</b>	
	50.40	<b>75.00</b>	50.41	<b>75.02</b>	5.001	<b>127.03</b>	0.812	<b>20.62</b>	4.876	<b>123.85</b>	
	53.70	<b>79.91</b>	53.73	<b>79.96</b>	4.875	<b>123.83</b>	0.875	<b>22.23</b>	4.750	<b>120.65</b>	
56.80	<b>84.53</b>	56.92	<b>84.71</b>	4.751	<b>120.68</b>	0.937	<b>23.80</b>	4.626	<b>117.50</b>		
59.90	<b>89.14</b>	60.08	<b>89.41</b>	4.625	<b>117.48</b>	1.000	<b>25.40</b>	4.500	<b>114.30</b>		
62.90	<b>93.61</b>	63.10	<b>93.90</b>	4.501	<b>114.33</b>	1.062	<b>26.97</b>	4.376	<b>111.15</b>		
65.80	<b>97.92</b>	66.08	<b>98.34</b>	4.375	<b>111.13</b>	1.125	<b>28.58</b>	4.250	<b>107.95</b>		
71.30	<b>106.11</b>	71.76	<b>106.79</b>	4.125	<b>104.78</b>	1.250	<b>31.75</b>	4.000	<b>101.60</b>		

Casing OD		Weight				Casing Nom ID		Wall Thickness		Drift ID	
in	mm	T & C		Plain End		in	mm	in	mm	in	mm
		lb/ft	kg/m	lb/ft	kg/m						
7 177.8	13.00	<b>19.35</b>	12.69	<b>18.88</b>	6.652	<b>168.96</b>	0.174	<b>4.42</b>	6.527	<b>165.79</b>	
	17.00	<b>25.30</b>	16.70	<b>24.85</b>	6.538	<b>166.07</b>	0.231	<b>5.87</b>	6.413	<b>162.89</b>	
	20.00	<b>29.76</b>	19.54	<b>29.08</b>	6.456	<b>163.98</b>	0.272	<b>6.91</b>	6.331	<b>160.81</b>	
	22.00	<b>32.74</b>	21.54	<b>32.06</b>	6.398	<b>162.51</b>	0.301	<b>7.65</b>	6.273	<b>159.33</b>	
	23.00	<b>34.23</b>	22.63	<b>33.68</b>	6.366	<b>161.70</b>	0.317	<b>8.05</b>	6.241	<b>158.52</b>	
	24.00	<b>35.72</b>	23.64	<b>35.18</b>	6.336	<b>160.93</b>	0.332	<b>8.43</b>	6.211	<b>157.76</b>	
	26.00	<b>38.69</b>	25.66	<b>38.19</b>	6.276	<b>159.41</b>	0.362	<b>9.19</b>	6.151	<b>156.24</b>	
	28.00	<b>41.67</b>	27.73	<b>41.27</b>	6.214	<b>157.84</b>	0.393	<b>9.98</b>	6.089	<b>154.66</b>	
	29.00	<b>43.16</b>	28.72	<b>42.74</b>	6.184	<b>157.07</b>	0.408	<b>10.36</b>	6.059	<b>153.90</b>	
	29.80	<b>44.35</b>	29.25	<b>43.53</b>	6.168	<b>156.67</b>	0.416	<b>10.57</b>	6.043	<b>153.49</b>	
	30.00	<b>44.64</b>	29.71	<b>44.21</b>	6.154	<b>156.31</b>	0.423	<b>10.74</b>	6.029	<b>153.14</b>	
	32.00	<b>47.62</b>	31.68	<b>47.15</b>	6.094	<b>154.79</b>	0.453	<b>11.51</b>	5.969	<b>151.61</b>	
	33.70	<b>50.15</b>	33.17	<b>49.36</b>	6.048	<b>153.62</b>	0.476	<b>12.09</b>	5.923	<b>150.44</b>	
	34.00	<b>50.60</b>	33.42	<b>49.73</b>	6.040	<b>153.42</b>	0.480	<b>12.19</b>	5.915	<b>150.24</b>	
	35.00	<b>52.09</b>	34.58	<b>51.46</b>	6.004	<b>152.50</b>	0.498	<b>12.65</b>	5.879	<b>149.33</b>	
	35.30	<b>52.53</b>	34.71	<b>51.65</b>	6.000	<b>152.40</b>	0.500	<b>12.70</b>	5.875	<b>149.23</b>	
	38.00	<b>56.55</b>	37.26	<b>55.45</b>	5.920	<b>150.37</b>	0.540	<b>13.72</b>	5.795	<b>147.19</b>	
	40.00	<b>59.53</b>	39.89	<b>59.36</b>	5.836	<b>148.23</b>	0.582	<b>14.78</b>	5.711	<b>145.06</b>	
	41.00	<b>61.01</b>	40.39	<b>60.11</b>	5.820	<b>147.83</b>	0.590	<b>14.99</b>	5.695	<b>144.65</b>	
	42.70	<b>63.54</b>	42.55	<b>63.32</b>	5.750	<b>146.05</b>	0.625	<b>15.88</b>	5.625	<b>142.88</b>	
	43.00	<b>63.99</b>	42.98	<b>63.96</b>	5.736	<b>145.69</b>	0.632	<b>16.05</b>	5.611	<b>142.52</b>	
	44.00	<b>65.48</b>	43.47	<b>64.69</b>	5.720	<b>145.29</b>	0.640	<b>16.26</b>	5.595	<b>142.11</b>	
	45.40	<b>67.56</b>	45.30	<b>67.41</b>	5.660	<b>143.76</b>	0.670	<b>17.02</b>	5.535	<b>140.59</b>	
	46.40	<b>69.05</b>	46.32	<b>68.93</b>	5.626	<b>142.90</b>	0.687	<b>17.45</b>	5.501	<b>139.73</b>	
	49.50	<b>73.66</b>	48.88	<b>72.74</b>	5.540	<b>140.72</b>	0.730	<b>18.54</b>	5.415	<b>137.54</b>	
	50.10	<b>74.56</b>	50.06	<b>74.50</b>	5.500	<b>139.70</b>	0.750	<b>19.05</b>	5.375	<b>136.53</b>	
	53.60	<b>79.77</b>	53.66	<b>79.85</b>	5.376	<b>136.55</b>	0.812	<b>20.62</b>	5.251	<b>133.38</b>	
	57.10	<b>84.97</b>	57.24	<b>85.18</b>	5.250	<b>133.35</b>	0.875	<b>22.23</b>	5.125	<b>130.18</b>	
60.50	<b>90.03</b>	60.67	<b>90.29</b>	5.126	<b>130.20</b>	0.937	<b>23.80</b>	5.001	<b>127.03</b>		
63.90	<b>95.09</b>	64.08	<b>95.36</b>	5.000	<b>127.00</b>	1.000	<b>25.40</b>	4.875	<b>123.83</b>		
67.10	<b>99.86</b>	67.35	<b>100.23</b>	4.876	<b>123.85</b>	1.062	<b>26.97</b>	4.751	<b>120.68</b>		
70.30	<b>104.62</b>	70.59	<b>105.05</b>	4.750	<b>120.65</b>	1.125	<b>28.58</b>	4.625	<b>117.48</b>		
76.30	<b>113.55</b>	76.76	<b>114.23</b>	4.500	<b>114.30</b>	1.250	<b>31.75</b>	4.375	<b>111.13</b>		

Casing OD		Weight				Casing Nom ID		Wall Thickness		Drift ID	
in	mm	T & C		Plain End		in	mm	in	mm	in	mm
		lb/ft	kg/m	lb/ft	kg/m						
7 5/8 193.7	14.75	<b>21.95</b>	14.39	<b>21.41</b>	7.263	<b>184.48</b>	0.181	<b>4.60</b>	7.138	<b>181.31</b>	
	20.00	<b>29.76</b>	19.69	<b>29.30</b>	7.125	<b>180.98</b>	0.250	<b>6.35</b>	7.000	<b>177.80</b>	
	24.00	<b>35.72</b>	23.47	<b>34.93</b>	7.025	<b>178.44</b>	0.300	<b>7.62</b>	6.900	<b>175.26</b>	
	26.40	<b>39.29</b>	25.56	<b>38.04</b>	6.969	<b>177.01</b>	0.328	<b>8.33</b>	6.844	<b>173.84</b>	
	29.70	<b>44.20</b>	29.04	<b>43.22</b>	6.875	<b>174.63</b>	0.375	<b>9.53</b>	6.750	<b>171.45</b>	
	33.70	<b>50.15</b>	33.04	<b>49.17</b>	6.765	<b>171.83</b>	0.430	<b>10.92</b>	6.640	<b>168.66</b>	
	34.00	<b>50.60</b>	33.22	<b>49.44</b>	6.760	<b>171.70</b>	0.433	<b>11.00</b>	6.635	<b>168.53</b>	
	35.50	<b>52.83</b>	35.02	<b>52.12</b>	6.710	<b>170.43</b>	0.458	<b>11.63</b>	6.585	<b>167.26</b>	
	36.00	<b>53.57</b>	35.20	<b>52.38</b>	6.705	<b>170.31</b>	0.460	<b>11.68</b>	6.580	<b>167.13</b>	
	38.00	<b>56.55</b>	36.98	<b>55.03</b>	6.655	<b>169.04</b>	0.485	<b>12.32</b>	6.530	<b>165.86</b>	
	39.00	<b>58.04</b>	38.05	<b>56.62</b>	6.625	<b>168.28</b>	0.500	<b>12.70</b>	6.500	<b>165.10</b>	
	42.50	<b>63.25</b>	42.39	<b>63.08</b>	6.501	<b>165.13</b>	0.562	<b>14.27</b>	6.376	<b>161.95</b>	
	45.30	<b>67.41</b>	44.67	<b>66.48</b>	6.435	<b>163.45</b>	0.595	<b>15.11</b>	6.310	<b>160.27</b>	
	47.10	<b>70.09</b>	46.73	<b>69.54</b>	6.375	<b>161.93</b>	0.625	<b>15.88</b>	6.250	<b>158.75</b>	
	51.20	<b>76.19</b>	50.91	<b>75.76</b>	6.251	<b>158.78</b>	0.687	<b>17.45</b>	6.126	<b>155.60</b>	
	52.80	<b>78.58</b>	52.57	<b>78.23</b>	6.201	<b>157.51</b>	0.712	<b>18.08</b>	6.076	<b>154.33</b>	
	55.30	<b>82.30</b>	55.07	<b>81.95</b>	6.125	<b>155.58</b>	0.750	<b>19.05</b>	6.000	<b>152.40</b>	
	59.20	<b>88.10</b>	59.08	<b>87.92</b>	6.001	<b>152.43</b>	0.812	<b>20.62</b>	5.750	<b>146.05</b>	
	63.20	<b>94.05</b>	63.08	<b>93.87</b>	5.875	<b>149.23</b>	0.875	<b>22.23</b>	5.876	<b>149.25</b>	
	66.90	<b>99.56</b>	66.93	<b>99.60</b>	5.751	<b>146.08</b>	0.937	<b>23.80</b>	5.626	<b>142.90</b>	
70.10	<b>104.32</b>	70.76	<b>105.30</b>	5.625	<b>142.88</b>	1.000	<b>25.40</b>	5.500	<b>139.70</b>		
74.30	<b>110.57</b>	78.10	<b>116.23</b>	5.501	<b>139.73</b>	1.062	<b>26.97</b>	5.376	<b>136.55</b>		
77.90	<b>115.93</b>	74.44	<b>110.78</b>	5.375	<b>136.53</b>	1.125	<b>28.58</b>	5.250	<b>133.35</b>		
7 3/4 196.9	46.10	<b>68.60</b>	45.47	<b>67.67</b>	6.560	<b>166.62</b>	0.595	<b>15.11</b>	6.435	<b>163.45</b>	
8 203.2	16.00	<b>23.81</b>	15.52	<b>23.10</b>	7.628	<b>193.75</b>	0.186	<b>4.72</b>	7.503	<b>190.58</b>	
	20.00	<b>29.76</b>	19.57	<b>29.12</b>	7.528	<b>191.21</b>	0.236	<b>5.99</b>	7.403	<b>188.04</b>	
	23.09	<b>34.36</b>	23.09	<b>34.36</b>	7.440	<b>188.98</b>	0.280	<b>7.11</b>	7.315	<b>185.80</b>	
	26.00	<b>38.69</b>	25.22	<b>37.53</b>	7.386	<b>187.60</b>	0.307	<b>7.80</b>	7.261	<b>184.43</b>	
8 1/8 206.4	28.00	<b>41.67</b>	26.67	<b>39.69</b>	7.485	<b>190.12</b>	0.320	<b>8.13</b>	7.360	<b>186.94</b>	
	32.00	<b>47.62</b>	30.65	<b>45.61</b>	7.385	<b>187.58</b>	0.370	<b>9.40</b>	7.260	<b>184.40</b>	
	36.00	<b>53.57</b>	34.56	<b>51.43</b>	7.285	<b>185.04</b>	0.420	<b>10.67</b>	7.160	<b>181.86</b>	
	40.00	<b>59.53</b>	38.43	<b>57.19</b>	7.185	<b>182.50</b>	0.470	<b>11.94</b>	7.060	<b>179.32</b>	
	42.00	<b>62.50</b>	40.72	<b>60.60</b>	7.125	<b>180.98</b>	0.500	<b>12.70</b>	7.000	<b>177.80</b>	

Casing OD		Weight				Casing Nom ID		Wall Thickness		Drift ID	
in	mm	T & C		Plain End		in	mm	in	mm	in	mm
		lb/ft	kg/m	lb/ft	kg/m						
8 5/8 219.1	17.50	<b>26.04</b>	16.94	<b>25.21</b>	8.249	<b>209.52</b>	0.188	<b>4.78</b>	8.124	<b>206.35</b>	
	20.00	<b>29.76</b>	19.49	<b>29.00</b>	8.191	<b>208.05</b>	0.217	<b>5.51</b>	8.066	<b>204.88</b>	
	24.00	<b>35.72</b>	23.57	<b>35.08</b>	8.097	<b>205.66</b>	0.264	<b>6.71</b>	7.972	<b>202.49</b>	
	25.55	<b>38.02</b>	24.70	<b>36.76</b>	8.071	<b>205.00</b>	0.277	<b>7.04</b>	7.946	<b>201.83</b>	
	24.96	<b>37.14</b>	24.96	<b>37.14</b>	8.065	<b>204.85</b>	0.280	<b>7.11</b>	7.940	<b>201.68</b>	
	28.00	<b>41.67</b>	27.02	<b>40.21</b>	8.017	<b>203.63</b>	0.304	<b>7.72</b>	7.892	<b>200.46</b>	
	29.35	<b>43.68</b>	28.55	<b>42.49</b>	7.981	<b>202.72</b>	0.322	<b>8.18</b>	7.856	<b>199.54</b>	
	32.00	<b>47.62</b>	31.10	<b>46.28</b>	7.921	<b>201.19</b>	0.352	<b>8.94</b>	7.796	<b>198.02</b>	
	32.40	<b>48.22</b>	31.27	<b>46.53</b>	7.917	<b>201.09</b>	0.354	<b>8.99</b>	7.792	<b>197.92</b>	
	36.00	<b>53.57</b>	35.14	<b>52.29</b>	7.825	<b>198.76</b>	0.400	<b>10.16</b>	7.700	<b>195.58</b>	
	38.00	<b>56.55</b>	37.22	<b>55.39</b>	7.775	<b>197.49</b>	0.425	<b>10.80</b>	7.650	<b>194.31</b>	
	40.00	<b>59.53</b>	39.29	<b>58.47</b>	7.725	<b>196.22</b>	0.450	<b>11.43</b>	7.600	<b>193.04</b>	
	43.00	<b>63.99</b>	42.33	<b>62.99</b>	7.651	<b>194.34</b>	0.487	<b>12.37</b>	7.526	<b>191.16</b>	
	44.00	<b>65.48</b>	43.39	<b>64.57</b>	7.625	<b>193.68</b>	0.500	<b>12.70</b>	7.500	<b>190.50</b>	
	48.00	<b>71.43</b>	46.95	<b>69.87</b>	7.537	<b>191.44</b>	0.544	<b>13.82</b>	7.412	<b>188.26</b>	
	49.00	<b>72.92</b>	48.00	<b>71.43</b>	7.511	<b>190.78</b>	0.557	<b>14.15</b>	7.386	<b>187.60</b>	
	49.10	<b>73.07</b>	48.40	<b>72.03</b>	7.501	<b>190.53</b>	0.562	<b>14.27</b>	7.376	<b>187.35</b>	
	52.00	<b>77.38</b>	51.03	<b>75.94</b>	7.435	<b>188.85</b>	0.595	<b>15.11</b>	7.310	<b>185.67</b>	
	54.00	<b>80.36</b>	53.40	<b>79.47</b>	7.375	<b>187.33</b>	0.625	<b>15.88</b>	7.250	<b>184.15</b>	
	58.70	<b>87.36</b>	58.24	<b>86.67</b>	7.251	<b>184.18</b>	0.687	<b>17.45</b>	7.126	<b>181.00</b>	
63.50	<b>94.50</b>	63.08	<b>93.87</b>	7.125	<b>180.98</b>	0.750	<b>19.05</b>	7.000	<b>177.80</b>		
68.10	<b>101.34</b>	67.76	<b>100.84</b>	7.001	<b>177.83</b>	0.812	<b>20.62</b>	6.876	<b>174.65</b>		
72.70	<b>108.19</b>	72.42	<b>107.77</b>	6.875	<b>174.63</b>	0.875	<b>22.23</b>	6.750	<b>171.45</b>		
77.10	<b>114.74</b>	76.94	<b>114.50</b>	6.751	<b>171.48</b>	0.937	<b>23.80</b>	6.626	<b>168.30</b>		
8 3/4 222.3	49.70	<b>73.96</b>	48.74	<b>72.53</b>	7.636	<b>193.95</b>	0.557	<b>14.15</b>	7.511	<b>190.78</b>	
9 228.6	19.00	<b>28.28</b>	18.43	<b>27.43</b>	8.608	<b>218.64</b>	0.196	<b>4.98</b>	8.483	<b>215.47</b>	
	34.00	<b>50.60</b>	32.78	<b>48.78</b>	8.290	<b>210.57</b>	0.355	<b>9.02</b>	8.165	<b>207.39</b>	
	38.00	<b>56.55</b>	36.91	<b>54.93</b>	8.196	<b>208.18</b>	0.402	<b>10.21</b>	8.071	<b>205.00</b>	
	40.00	<b>59.53</b>	38.92	<b>57.92</b>	8.150	<b>207.01</b>	0.425	<b>10.80</b>	8.025	<b>203.84</b>	
	45.00	<b>66.97</b>	44.02	<b>65.51</b>	8.032	<b>204.01</b>	0.484	<b>12.29</b>	7.907	<b>200.84</b>	
	50.20	<b>74.71</b>	49.21	<b>73.23</b>	7.910	<b>200.91</b>	0.545	<b>13.84</b>	7.785	<b>197.74</b>	
	54.00	<b>80.36</b>	53.41	<b>79.48</b>	7.810	<b>198.37</b>	0.595	<b>15.11</b>	7.625	<b>193.68</b>	
	55.00	<b>81.85</b>	53.33	<b>79.36</b>	7.812	<b>198.42</b>	0.594	<b>15.09</b>	7.687	<b>195.25</b>	

Casing OD		Weight				Casing Nom ID		Wall Thickness		Drift ID	
in	mm	T & C		Plain End		in	mm	in	mm	in	mm
		lb/ft	kg/m	lb/ft	kg/m						
9 5/8 244.5	29.30	<b>43.60</b>	28.04	<b>41.73</b>	9.063	<b>230.20</b>	0.281	<b>7.14</b>	8.907	<b>226.24</b>	
	32.30	<b>48.07</b>	31.03	<b>46.18</b>	9.001	<b>228.63</b>	0.312	<b>7.92</b>	8.845	<b>224.66</b>	
	36.00	<b>53.57</b>	34.86	<b>51.88</b>	8.921	<b>226.59</b>	0.352	<b>8.94</b>	8.765	<b>222.63</b>	
	38.00	<b>56.55</b>	36.57	<b>54.42</b>	8.885	<b>225.68</b>	0.370	<b>9.40</b>	8.729	<b>221.72</b>	
	40.00	<b>59.53</b>	38.94	<b>57.95</b>	8.835	<b>224.41</b>	0.395	<b>10.03</b>	8.679	<b>220.45</b>	
	42.00	<b>62.50</b>	40.63	<b>60.46</b>	8.799	<b>223.49</b>	0.413	<b>10.49</b>	8.643	<b>219.53</b>	
	43.50	<b>64.74</b>	42.70	<b>63.54</b>	8.755	<b>222.38</b>	0.435	<b>11.05</b>	8.599	<b>218.41</b>	
	47.00	<b>69.94</b>	46.14	<b>68.66</b>	8.681	<b>220.50</b>	0.472	<b>11.99</b>	8.525	<b>216.54</b>	
	53.50	<b>79.62</b>	52.85	<b>78.65</b>	8.535	<b>216.79</b>	0.545	<b>13.84</b>	8.379	<b>212.83</b>	
	57.40	<b>85.42</b>	56.71	<b>84.39</b>	8.450	<b>214.63</b>	0.588	<b>14.94</b>	8.294	<b>210.67</b>	
	58.40	<b>86.91</b>	57.38	<b>85.39</b>	8.435	<b>214.25</b>	0.595	<b>15.11</b>	8.279	<b>210.29</b>	
	59.40	<b>88.40</b>	58.64	<b>87.27</b>	8.407	<b>213.54</b>	0.609	<b>15.47</b>	8.251	<b>209.58</b>	
	61.10	<b>90.93</b>	60.08	<b>89.41</b>	8.375	<b>212.73</b>	0.625	<b>15.88</b>	8.219	<b>208.76</b>	
	64.90	<b>96.58</b>	64.26	<b>95.63</b>	8.281	<b>210.34</b>	0.672	<b>17.07</b>	8.125	<b>206.38</b>	
	70.30	<b>104.62</b>	69.70	<b>103.73</b>	8.157	<b>207.19</b>	0.734	<b>18.64</b>	8.001	<b>203.23</b>	
	71.80	<b>106.85</b>	71.09	<b>105.79</b>	8.125	<b>206.38</b>	0.750	<b>19.05</b>	7.969	<b>202.41</b>	
	75.60	<b>112.51</b>	75.14	<b>111.82</b>	8.031	<b>203.99</b>	0.797	<b>20.24</b>	7.875	<b>200.03</b>	
	80.80	<b>120.24</b>	80.42	<b>119.68</b>	7.907	<b>200.84</b>	0.859	<b>21.82</b>	7.751	<b>196.88</b>	
	86.00	<b>127.98</b>	85.70	<b>127.54</b>	7.781	<b>197.64</b>	0.922	<b>23.42</b>	7.625	<b>193.68</b>	
	91.00	<b>135.42</b>	90.81	<b>135.14</b>	7.657	<b>194.49</b>	0.984	<b>24.99</b>	7.501	<b>190.53</b>	
92.70	<b>137.95</b>	92.12	<b>137.09</b>	7.625	<b>193.68</b>	1.000	<b>25.40</b>	7.500	<b>190.50</b>		
9 3/4 247.7	59.20	<b>88.10</b>	58.18	<b>86.58</b>	8.560	<b>217.42</b>	0.595	<b>15.11</b>	8.404	<b>213.46</b>	
	62.60	<b>93.16</b>	55.19	<b>82.13</b>	8.625	<b>219.08</b>	0.563	<b>14.30</b>	8.469	<b>215.11</b>	
9 7/8 250.8	62.80	<b>93.46</b>	61.74	<b>91.88</b>	8.625	<b>219.08</b>	0.625	<b>15.88</b>	8.469	<b>215.11</b>	
	68.80	<b>102.39</b>	68.59	<b>102.07</b>	8.475	<b>215.27</b>	0.700	<b>17.78</b>	8.319	<b>211.30</b>	
	70.40	<b>104.77</b>	69.23	<b>103.03</b>	8.461	<b>214.91</b>	0.707	<b>17.96</b>	8.305	<b>210.95</b>	
	72.10	<b>107.30</b>	70.85	<b>105.44</b>	8.425	<b>214.00</b>	0.725	<b>18.42</b>	8.269	<b>210.03</b>	
10 254	22.75	<b>33.86</b>	21.86	<b>32.53</b>	9.582	<b>243.38</b>	0.209	<b>5.31</b>	9.426	<b>239.42</b>	
	30.25	<b>45.02</b>	29.37	<b>43.71</b>	9.434	<b>239.62</b>	0.283	<b>7.19</b>	9.278	<b>235.66</b>	
	30.07	<b>44.75</b>	30.07	<b>44.75</b>	9.420	<b>239.27</b>	0.290	<b>7.37</b>	9.264	<b>235.31</b>	
	33.00	<b>49.11</b>	31.88	<b>47.44</b>	9.384	<b>238.35</b>	0.308	<b>7.82</b>	9.228	<b>234.39</b>	
	41.50	<b>61.76</b>	41.01	<b>61.03</b>	9.200	<b>233.68</b>	0.400	<b>10.16</b>	9.044	<b>229.72</b>	
	45.50	<b>67.71</b>	44.93	<b>66.86</b>	9.120	<b>231.65</b>	0.440	<b>11.18</b>	8.964	<b>227.69</b>	
	50.50	<b>75.15</b>	49.96	<b>74.35</b>	9.016	<b>229.01</b>	0.492	<b>12.50</b>	8.860	<b>225.04</b>	
	55.50	<b>82.59</b>	55.13	<b>82.04</b>	8.908	<b>226.26</b>	0.546	<b>13.87</b>	8.752	<b>222.30</b>	
	60.00	<b>89.29</b>	61.17	<b>91.03</b>	8.780	<b>223.01</b>	0.610	<b>15.49</b>	8.624	<b>219.05</b>	

Casing OD		Weight				Casing Nom ID		Wall Thickness		Drift ID	
in	mm	T & C		Plain End		in	mm	in	mm	in	mm
		lb/ft	kg/m	lb/ft	kg/m						
10 3/4 273.1	32.75	<b>48.74</b>	31.20	<b>46.43</b>	10.192	<b>258.88</b>	0.279	<b>7.09</b>	10.036	<b>254.91</b>	
	35.75	<b>53.20</b>	34.24	<b>50.95</b>	10.136	<b>257.45</b>	0.307	<b>7.80</b>	9.980	<b>253.49</b>	
	40.00	<b>59.53</b>	38.66	<b>57.53</b>	10.054	<b>255.37</b>	0.348	<b>8.84</b>	9.898	<b>251.41</b>	
	40.50	<b>60.27</b>	38.88	<b>57.86</b>	10.050	<b>255.27</b>	0.350	<b>8.89</b>	9.894	<b>251.31</b>	
	45.00	<b>66.97</b>	43.68	<b>65.00</b>	9.960	<b>252.98</b>	0.395	<b>10.03</b>	9.804	<b>249.02</b>	
	45.50	<b>67.71</b>	44.22	<b>65.81</b>	9.950	<b>252.73</b>	0.400	<b>10.16</b>	9.794	<b>248.77</b>	
	48.00	<b>71.43</b>	46.76	<b>69.59</b>	9.902	<b>251.51</b>	0.424	<b>10.77</b>	9.746	<b>247.55</b>	
	51.00	<b>75.90</b>	49.50	<b>73.66</b>	9.850	<b>250.19</b>	0.450	<b>11.43</b>	9.694	<b>246.23</b>	
	54.00	<b>80.36</b>	52.96	<b>78.81</b>	9.784	<b>248.51</b>	0.483	<b>12.27</b>	9.628	<b>244.55</b>	
	55.50	<b>82.59</b>	54.21	<b>80.67</b>	9.760	<b>247.90</b>	0.495	<b>12.57</b>	9.604	<b>243.94</b>	
	60.70	<b>90.33</b>	59.40	<b>88.40</b>	9.660	<b>245.36</b>	0.545	<b>13.84</b>	9.504	<b>241.40</b>	
	65.70	<b>97.77</b>	64.53	<b>96.03</b>	9.560	<b>242.82</b>	0.595	<b>15.11</b>	9.404	<b>238.86</b>	
	71.10	<b>105.81</b>	70.12	<b>104.35</b>	9.450	<b>240.03</b>	0.650	<b>16.51</b>	9.294	<b>236.07</b>	
	73.20	<b>108.93</b>	72.33	<b>107.64</b>	9.406	<b>238.91</b>	0.672	<b>17.07</b>	9.250	<b>234.95</b>	
	76.00	<b>113.10</b>	75.13	<b>111.81</b>	9.350	<b>237.49</b>	0.700	<b>17.78</b>	9.194	<b>233.53</b>	
	79.20	<b>117.86</b>	78.52	<b>116.85</b>	9.282	<b>235.76</b>	0.734	<b>18.64</b>	9.126	<b>231.80</b>	
	81.00	<b>120.54</b>	80.10	<b>119.20</b>	9.250	<b>234.95</b>	0.750	<b>19.05</b>	9.094	<b>230.99</b>	
	85.30	<b>126.94</b>	84.72	<b>126.08</b>	9.156	<b>232.56</b>	0.797	<b>20.24</b>	9.000	<b>228.60</b>	
	91.20	<b>135.72</b>	90.74	<b>135.04</b>	9.032	<b>229.41</b>	0.859	<b>21.82</b>	8.876	<b>225.45</b>	
	97.10	<b>144.50</b>	96.78	<b>144.02</b>	8.906	<b>226.21</b>	0.922	<b>23.42</b>	8.750	<b>222.25</b>	
102.90	<b>153.13</b>	102.63	<b>152.73</b>	8.782	<b>223.06</b>	0.984	<b>24.99</b>	8.626	<b>219.10</b>		
108.70	<b>161.76</b>	108.50	<b>161.47</b>	8.656	<b>219.86</b>	1.047	<b>26.59</b>	8.500	<b>215.90</b>		
109.00	<b>162.21</b>	107.20	<b>159.53</b>	8.684	<b>220.57</b>	1.033	<b>26.24</b>	8.528	<b>216.61</b>		
11 279.4	26.75	<b>39.81</b>	25.78	<b>38.36</b>	10.552	<b>268.02</b>	0.224	<b>5.69</b>	10.396	<b>264.06</b>	
	35.39	<b>52.67</b>	35.39	<b>52.67</b>	10.380	<b>263.65</b>	0.310	<b>7.87</b>	10.224	<b>259.69</b>	
11 3/4 298.5	38.00	<b>56.55</b>	36.69	<b>54.60</b>	11.150	<b>283.21</b>	0.300	<b>7.62</b>	10.994	<b>279.25</b>	
	45.00	<b>66.97</b>	40.60	<b>60.42</b>	11.084	<b>281.53</b>	0.333	<b>8.46</b>	10.928	<b>277.57</b>	
	47.00	<b>69.94</b>	45.56	<b>67.80</b>	11.000	<b>279.40</b>	0.375	<b>9.53</b>	10.844	<b>275.44</b>	
	50.00	<b>74.41</b>	48.49	<b>72.16</b>	10.950	<b>278.13</b>	0.400	<b>10.16</b>	10.794	<b>274.17</b>	
	54.00	<b>80.36</b>	52.57	<b>78.23</b>	10.880	<b>276.35</b>	0.435	<b>11.05</b>	10.724	<b>272.39</b>	
	60.00	<b>89.29</b>	58.81	<b>87.52</b>	10.772	<b>273.61</b>	0.489	<b>12.42</b>	10.616	<b>269.65</b>	
	61.00	<b>90.78</b>	58.93	<b>87.70</b>	10.770	<b>273.56</b>	0.490	<b>12.45</b>	10.614	<b>269.60</b>	
	65.00	<b>96.73</b>	63.97	<b>95.20</b>	10.682	<b>271.32</b>	0.534	<b>13.56</b>	10.526	<b>267.36</b>	
	66.70	<b>99.26</b>	65.45	<b>97.40</b>	10.656	<b>270.66</b>	0.547	<b>13.89</b>	10.500	<b>266.70</b>	
	71.00	<b>105.66</b>	69.42	<b>103.31</b>	10.586	<b>268.88</b>	0.582	<b>14.78</b>	10.430	<b>264.92</b>	
	73.60	<b>109.53</b>	72.46	<b>107.83</b>	10.532	<b>267.51</b>	0.609	<b>15.47</b>	10.376	<b>263.55</b>	
	75.00	<b>111.61</b>	73.47	<b>109.34</b>	10.514	<b>267.06</b>	0.618	<b>15.70</b>	10.358	<b>263.09</b>	
	79.00	<b>117.56</b>	77.73	<b>115.67</b>	10.438	<b>265.13</b>	0.656	<b>16.66</b>	10.282	<b>261.16</b>	
	80.50	<b>119.80</b>	79.51	<b>118.32</b>	10.406	<b>264.31</b>	0.672	<b>17.07</b>	10.250	<b>260.35</b>	
	83.00	<b>123.52</b>	81.62	<b>121.46</b>	10.368	<b>263.35</b>	0.691	<b>17.55</b>	10.212	<b>259.38</b>	
	87.20	<b>129.77</b>	86.36	<b>128.52</b>	10.282	<b>261.16</b>	0.734	<b>18.64</b>	10.126	<b>257.20</b>	



Casing OD		Weight				Casing Nom ID		Wall Thickness		Drift ID	
in		T & C		Plain End		in	mm	in	mm	in	mm
mm		lb/ft	kg/m	lb/ft	kg/m						
11 7/8		71.80	<b>106.85</b>	70.20	<b>104.47</b>	10.711	<b>272.06</b>	0.582	<b>14.78</b>	10.555	<b>268.10</b>
<b>301.6</b>											
12		31.50	<b>46.88</b>	30.51	<b>45.40</b>	11.514	<b>292.46</b>	0.243	<b>6.17</b>	11.358	<b>288.49</b>
<b>304.8</b>		40.00	<b>59.53</b>	38.46	<b>57.23</b>	11.384	<b>289.15</b>	0.308	<b>7.82</b>	11.228	<b>285.19</b>
		38.70	<b>57.59</b>	40.52	<b>60.30</b>	11.350	<b>288.29</b>	0.325	<b>8.26</b>	11.194	<b>284.33</b>
12 3/4		43.00	<b>63.99</b>	41.19	<b>61.30</b>	12.130	<b>308.10</b>	0.310	<b>7.87</b>	11.974	<b>304.14</b>
<b>323.9</b>		45.45	<b>67.64</b>	43.77	<b>65.14</b>	12.090	<b>307.09</b>	0.330	<b>8.38</b>	11.934	<b>303.12</b>
		51.15	<b>76.12</b>	49.56	<b>73.75</b>	12.000	<b>304.80</b>	0.375	<b>9.53</b>	11.844	<b>300.84</b>
		53.00	<b>78.87</b>	51.48	<b>76.61</b>	11.970	<b>304.04</b>	0.390	<b>9.91</b>	11.814	<b>300.08</b>
		65.42	<b>97.36</b>	65.42	<b>97.36</b>	11.750	<b>298.45</b>	0.500	<b>12.70</b>	11.594	<b>294.49</b>
13		36.50	<b>54.32</b>	35.24	<b>52.44</b>	12.482	<b>317.04</b>	0.259	<b>6.58</b>	12.326	<b>313.08</b>
<b>330.2</b>		40.00	<b>59.53</b>	38.17	<b>56.80</b>	12.438	<b>315.93</b>	0.281	<b>7.14</b>	12.282	<b>311.96</b>
		45.00	<b>66.97</b>	43.34	<b>64.50</b>	12.360	<b>313.94</b>	0.320	<b>8.13</b>	12.204	<b>309.98</b>
		47.29	<b>70.38</b>	47.29	<b>70.38</b>	12.300	<b>312.42</b>	0.350	<b>8.89</b>	12.144	<b>308.46</b>
		50.00	<b>74.41</b>	48.47	<b>72.13</b>	12.282	<b>311.96</b>	0.359	<b>9.12</b>	12.126	<b>308.00</b>
		54.00	<b>80.36</b>	52.52	<b>78.16</b>	12.220	<b>310.39</b>	0.390	<b>9.91</b>	12.064	<b>306.43</b>
13 3/8		48.00	<b>71.43</b>	45.98	<b>68.43</b>	12.715	<b>322.96</b>	0.330	<b>8.38</b>	12.559	<b>319.00</b>
<b>339.7</b>		54.50	<b>81.10</b>	52.74	<b>78.49</b>	12.615	<b>320.42</b>	0.380	<b>9.65</b>	12.459	<b>316.46</b>
		61.00	<b>90.78</b>	59.45	<b>88.47</b>	12.515	<b>317.88</b>	0.430	<b>10.92</b>	12.359	<b>313.92</b>
		68.00	<b>101.20</b>	66.11	<b>98.38</b>	12.415	<b>315.34</b>	0.480	<b>12.19</b>	12.259	<b>311.38</b>
		72.00	<b>107.15</b>	70.60	<b>105.06</b>	12.347	<b>313.61</b>	0.514	<b>13.06</b>	12.191	<b>309.65</b>
		77.00	<b>114.59</b>	75.34	<b>112.12</b>	12.275	<b>311.79</b>	0.550	<b>13.97</b>	12.119	<b>307.82</b>
		80.70	<b>120.09</b>	79.26	<b>117.95</b>	12.215	<b>310.26</b>	0.580	<b>14.73</b>	12.059	<b>306.30</b>
		83.00	<b>123.52</b>	81.86	<b>121.82</b>	12.175	<b>309.25</b>	0.600	<b>15.24</b>	12.019	<b>305.28</b>
		85.00	<b>126.49</b>	82.90	<b>123.37</b>	12.159	<b>308.84</b>	0.608	<b>15.44</b>	12.003	<b>304.88</b>
		86.00	<b>127.98</b>	85.11	<b>126.66</b>	12.125	<b>307.98</b>	0.625	<b>15.88</b>	11.969	<b>304.01</b>
		91.00	<b>135.42</b>	89.63	<b>133.38</b>	12.055	<b>306.20</b>	0.660	<b>16.76</b>	11.899	<b>302.23</b>
		92.00	<b>136.91</b>	91.17	<b>135.68</b>	12.031	<b>305.59</b>	0.672	<b>17.07</b>	11.875	<b>301.63</b>
		96.00	<b>142.86</b>	94.76	<b>141.02</b>	11.975	<b>304.17</b>	0.700	<b>17.78</b>	11.819	<b>300.20</b>
		98.00	<b>145.84</b>	97.19	<b>144.63</b>	11.937	<b>303.20</b>	0.719	<b>18.26</b>	11.781	<b>299.24</b>
		100.30	<b>149.26</b>	99.10	<b>147.48</b>	11.907	<b>302.44</b>	0.734	<b>18.64</b>	11.751	<b>298.48</b>
		102.00	<b>151.79</b>	99.60	<b>148.22</b>	11.899	<b>302.23</b>	0.738	<b>18.75</b>	11.743	<b>298.27</b>
13 1/2		80.40	<b>119.65</b>	79.51	<b>118.32</b>	12.348	<b>313.64</b>	0.576	<b>14.63</b>	12.192	<b>309.68</b>
<b>342.9</b>		81.40	<b>121.14</b>	80.03	<b>119.10</b>	12.340	<b>313.44</b>	0.580	<b>14.73</b>	12.152	<b>308.66</b>

Casing OD		Weight				Casing Nom ID		Wall Thickness		Drift ID	
in	mm	T & C		Plain End		in	mm	in	mm	in	mm
		lb/ft	kg/m	lb/ft	kg/m						
13 5/8	346.1	88.20	<b>131.26</b>	86.78	<b>129.14</b>	12.375	<b>314.33</b>	0.625	<b>15.88</b>	12.187	<b>309.55</b>
14	355.6	42.00	<b>62.50</b>	40.45	<b>60.20</b>	13.448	<b>341.58</b>	0.276	<b>7.01</b>	13.261	<b>336.83</b>
		50.00	<b>74.41</b>	47.89	<b>71.27</b>	13.344	<b>338.94</b>	0.328	<b>8.33</b>	13.157	<b>334.19</b>
		51.02	<b>75.93</b>	51.02	<b>75.93</b>	13.300	<b>337.82</b>	0.350	<b>8.89</b>	13.113	<b>333.07</b>
		57.00	<b>84.83</b>	54.57	<b>81.21</b>	13.250	<b>336.55</b>	0.375	<b>9.53</b>	13.063	<b>331.80</b>
		82.50	<b>122.77</b>	80.66	<b>120.04</b>	12.876	<b>327.05</b>	0.562	<b>14.27</b>	12.689	<b>322.30</b>
		94.80	<b>141.08</b>	93.49	<b>139.13</b>	12.688	<b>322.28</b>	0.656	<b>16.66</b>	12.501	<b>317.53</b>
		99.30	<b>147.77</b>	97.82	<b>145.57</b>	12.624	<b>320.65</b>	0.688	<b>17.48</b>	12.437	<b>315.90</b>
		110.00	<b>163.70</b>	109.07	<b>162.31</b>	12.456	<b>316.38</b>	0.772	<b>19.61</b>	12.269	<b>311.63</b>
15	381	47.50	<b>70.69</b>	45.71	<b>68.02</b>	14.418	<b>366.22</b>	0.291	<b>7.39</b>	14.231	<b>361.47</b>
		61.15	<b>91.00</b>	58.57	<b>87.16</b>	14.250	<b>361.95</b>	0.375	<b>9.53</b>	14.063	<b>357.20</b>
		59.33	<b>88.29</b>	59.33	<b>88.29</b>	14.240	<b>361.70</b>	0.380	<b>9.65</b>	14.053	<b>356.95</b>
16	406.4	52.50	<b>78.13</b>	50.63	<b>75.35</b>	15.396	<b>391.06</b>	0.302	<b>7.67</b>	15.209	<b>386.31</b>
		55.00	<b>81.85</b>	52.36	<b>77.92</b>	15.375	<b>390.53</b>	0.313	<b>7.95</b>	15.188	<b>385.78</b>
		65.00	<b>96.73</b>	62.58	<b>93.13</b>	15.250	<b>387.35</b>	0.375	<b>9.53</b>	15.063	<b>382.60</b>
		63.39	<b>94.33</b>	63.39	<b>94.33</b>	15.240	<b>387.10</b>	0.380	<b>9.65</b>	15.053	<b>382.35</b>
		70.00	<b>104.17</b>	66.81	<b>99.42</b>	15.198	<b>386.03</b>	0.401	<b>10.19</b>	15.011	<b>381.28</b>
		75.00	<b>111.61</b>	72.72	<b>108.22</b>	15.125	<b>384.18</b>	0.438	<b>11.13</b>	14.938	<b>379.43</b>
		84.00	<b>125.01</b>	81.97	<b>121.98</b>	15.010	<b>381.25</b>	0.495	<b>12.57</b>	14.823	<b>376.50</b>
		94.50	<b>140.63</b>	92.66	<b>137.89</b>	14.876	<b>377.85</b>	0.562	<b>14.27</b>	14.689	<b>373.10</b>
		95.00	<b>141.38</b>	87.81	<b>130.68</b>	14.868	<b>377.65</b>	0.566	<b>14.38</b>	14.680	<b>372.87</b>
		109.00	<b>162.21</b>	107.50	<b>159.98</b>	14.688	<b>373.08</b>	0.656	<b>16.66</b>	14.501	<b>368.33</b>
		118.00	<b>175.60</b>	116.72	<b>173.70</b>	14.570	<b>370.08</b>	0.715	<b>18.16</b>	14.383	<b>365.33</b>
		128.00	<b>190.48</b>	126.94	<b>188.91</b>	14.438	<b>366.73</b>	0.781	<b>19.84</b>	14.251	<b>361.98</b>
138.00	<b>205.37</b>	137.53	<b>204.67</b>	14.300	<b>363.22</b>	0.850	<b>21.59</b>	14.113	<b>358.47</b>		
146.00	<b>217.27</b>	146.05	<b>217.35</b>	14.188	<b>360.38</b>	0.906	<b>23.01</b>	14.001	<b>355.63</b>		
16 1/8	407.9	95.60	<b>142.27</b>	94.13	<b>140.08</b>	14.992	<b>380.80</b>	0.567	<b>14.40</b>	14.805	<b>376.05</b>
17	431.8	73.20	<b>108.93</b>	69.70	<b>103.73</b>	16.214	<b>411.84</b>	0.393	<b>9.98</b>	16.027	<b>407.09</b>
18	457.2	70.58	<b>105.03</b>	70.59	<b>105.05</b>	17.250	<b>438.15</b>	0.375	<b>9.53</b>	17.063	<b>433.40</b>
		78.00	<b>116.08</b>	75.74	<b>112.71</b>	17.194	<b>436.73</b>	0.403	<b>10.24</b>	17.007	<b>431.98</b>
		80.00	<b>119.05</b>	77.02	<b>114.62</b>	17.180	<b>436.37</b>	0.410	<b>10.41</b>	16.993	<b>431.62</b>
		84.00	<b>125.01</b>	82.15	<b>122.25</b>	17.124	<b>434.95</b>	0.438	<b>11.13</b>	16.937	<b>430.20</b>
		87.50	<b>130.21</b>	85.44	<b>127.15</b>	17.088	<b>434.04</b>	0.456	<b>11.58</b>	16.901	<b>429.29</b>
		96.50	<b>143.61</b>	94.72	<b>140.96</b>	16.986	<b>431.44</b>	0.507	<b>12.88</b>	16.799	<b>426.69</b>

Casing OD		Weight				Casing Nom ID		Wall Thickness		Drift ID	
in mm	T & C		Plain End		in	mm	in	mm	in	mm	
	lb/ft	kg/m	lb/ft	kg/m							
18 5/8 473.1	73.09	<b>108.77</b>	73.09	<b>108.77</b>	17.875	<b>454.03</b>	0.375	<b>9.53</b>	17.688	<b>449.28</b>	
	78.00	<b>116.08</b>	75.00	<b>111.61</b>	17.855	<b>453.52</b>	0.385	<b>9.78</b>	17.668	<b>448.77</b>	
	87.50	<b>130.21</b>	84.51	<b>125.76</b>	17.755	<b>450.98</b>	0.435	<b>11.05</b>	17.568	<b>446.23</b>	
	94.50	<b>140.63</b>	90.75	<b>135.05</b>	17.689	<b>449.30</b>	0.468	<b>11.89</b>	17.502	<b>444.55</b>	
	96.50	<b>143.61</b>	93.96	<b>139.83</b>	17.655	<b>448.44</b>	0.485	<b>12.32</b>	17.468	<b>443.69</b>	
	97.70	<b>145.39</b>	94.15	<b>140.11</b>	17.653	<b>448.39</b>	0.486	<b>12.34</b>	17.465	<b>443.61</b>	
	99.00	<b>147.33</b>	96.79	<b>144.04</b>	17.625	<b>447.68</b>	0.500	<b>12.70</b>	17.438	<b>442.93</b>	
	105.00	<b>156.26</b>	102.61	<b>152.70</b>	17.563	<b>446.10</b>	0.531	<b>13.49</b>	17.376	<b>441.35</b>	
	109.00	<b>162.21</b>	109.35	<b>162.73</b>	17.491	<b>444.27</b>	0.567	<b>14.40</b>	17.304	<b>439.52</b>	
	112.00	<b>166.67</b>	111.59	<b>166.06</b>	17.467	<b>443.66</b>	0.579	<b>14.71</b>	17.280	<b>438.91</b>	
	115.00	<b>171.14</b>	114.39	<b>170.23</b>	17.437	<b>442.90</b>	0.594	<b>15.09</b>	17.250	<b>438.15</b>	
	122.00	<b>181.56</b>	119.22	<b>177.42</b>	17.385	<b>441.58</b>	0.620	<b>15.75</b>	17.198	<b>436.83</b>	
	126.00	<b>187.51</b>	132.72	<b>197.51</b>	17.239	<b>437.87</b>	0.693	<b>17.60</b>	17.052	<b>433.12</b>	
	126.00	<b>187.51</b>	122.19	<b>181.84</b>	17.353	<b>440.77</b>	0.636	<b>16.15</b>	17.166	<b>436.02</b>	
	133.00	<b>197.93</b>	132.72	<b>197.51</b>	17.239	<b>437.87</b>	0.693	<b>17.60</b>	17.052	<b>433.12</b>	
138.00	<b>205.37</b>	137.68	<b>204.89</b>	17.185	<b>436.50</b>	0.720	<b>18.29</b>	16.998	<b>431.75</b>		
20 508	84.75	<b>126.12</b>	84.76	<b>126.14</b>	19.190	<b>487.43</b>	0.405	<b>10.29</b>	19.002	<b>482.65</b>	
	85.60	<b>127.39</b>	85.58	<b>127.36</b>	19.182	<b>487.22</b>	0.409	<b>10.39</b>	18.995	<b>482.47</b>	
	90.00	<b>133.93</b>	87.22	<b>129.80</b>	19.166	<b>486.82</b>	0.417	<b>10.59</b>	18.979	<b>482.07</b>	
	94.00	<b>139.89</b>	91.51	<b>136.18</b>	19.124	<b>485.75</b>	0.438	<b>11.13</b>	18.936	<b>480.97</b>	
	106.50	<b>158.49</b>	104.13	<b>154.96</b>	19.000	<b>482.60</b>	0.500	<b>12.70</b>	18.812	<b>477.82</b>	
	118.50	<b>176.35</b>	116.87	<b>173.92</b>	18.874	<b>479.40</b>	0.563	<b>14.30</b>	18.687	<b>474.65</b>	
	131.00	<b>194.95</b>	129.33	<b>192.46</b>	18.750	<b>476.25</b>	0.625	<b>15.88</b>	18.563	<b>471.50</b>	
	133.00	<b>197.93</b>	131.33	<b>195.44</b>	18.730	<b>475.74</b>	0.635	<b>16.13</b>	18.542	<b>470.97</b>	
	141.90	<b>211.17</b>	142.00	<b>211.32</b>	18.623	<b>473.02</b>	0.688	<b>17.48</b>	18.436	<b>468.27</b>	
	147.00	<b>218.76</b>	146.08	<b>217.39</b>	18.582	<b>471.98</b>	0.709	<b>18.01</b>	18.395	<b>467.23</b>	
	169.00	<b>251.50</b>	166.40	<b>247.63</b>	18.376	<b>466.75</b>	0.812	<b>20.62</b>	18.188	<b>461.98</b>	
	175.00	<b>260.43</b>	172.48	<b>256.68</b>	18.314	<b>465.18</b>	0.843	<b>21.41</b>	18.126	<b>460.40</b>	
	184.80	<b>275.01</b>	184.76	<b>274.95</b>	18.188	<b>461.98</b>	0.906	<b>23.01</b>	18.001	<b>457.23</b>	
	202.90	<b>301.95</b>	202.92	<b>301.98</b>	18.000	<b>457.20</b>	1.000	<b>25.40</b>	17.813	<b>452.45</b>	
250.30	<b>372.49</b>	250.32	<b>372.52</b>	17.500	<b>444.50</b>	1.250	<b>31.75</b>	17.313	<b>439.75</b>		